

FIXCLEAN

SUBID:00000005850

Version 1
Revision Date 12-05-2005

Print Date 10/07/2006

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Identification of the substance/preparation**

Product name : FIXCLEAN
 MSDS Number : 00000005850
 Use of the Substance/Preparation : Cleansing product for developing machines
 Product code : 37S2J
 Business group : IN

Company/Undertaking Identification

Agfa Corporation
 100 Challenger Road
 Ridgefield Park, NJ 07660
 U.S.A.

Transport Emergency

Non-transportation

Call CHEMTREC : +1 800 4249300
 International : +1 703 5273887

Health Emergency Phone : +1 303 6235716
 Agfa Information Phone : +1 201 4402500

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Cleansing product for developing machines, mainly consisting of:

	<u>CAS-No.</u>	<u>Concentration [%]</u>
• Sodium hydroxide	1310-73-2	>= 20.0 - <= 30.0
• Water	7732-18-5	>= 60.0 - <= 80.0

SECTION 3. HAZARDS IDENTIFICATION

This hazard information is for the individual ingredients.

Emergency Overview

Form : Liquid
 Colour : Colourless
 Odour : Odourless

DANGER !

Corrosive. Irritating gases/fumes may be given off during burning or thermal decomposition.
 Causes respiratory tract burns. May cause skin burns. Causes burns. Causes digestive tract burns.

Potential Health Effects

Primary Routes of Entry : Eye contact. Skin contact. Inhalation of vapours or mists.
 Accidental ingestion.

Acute health effects**Inhalation**

FIXCLEAN

SUBID:00000005850

Version 1
Revision Date 12-05-2005

Print Date 10/07/2006

- Sodium hydroxide : Can be irritating to the mucous membranes and respiratory tract with symptoms of coughing, sore throat and shortness of breath.

Skin contact

- Sodium hydroxide : Can be severely irritating to the skin resulting in burning, reddening, swelling and blisters.

Eye contact

- Sodium hydroxide : Can be severely irritating and corrosive to the eyes resulting in burning, reddening, swelling of the eye and surrounding tissue and possibly permanent injury to the cornea.

Carcinogenicity

The components of this product are not listed by NTP, IARC or regulated as a carcinogen by OSHA.

SECTION 4. FIRST AID MEASURES

- Eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- Skin contact : Wash immediately with plenty of water and soap. If symptoms persist, seek medical advice.
- Ingestion : Rinse mouth with plenty of water. Seek medical advice.
- Inhalation : Not relevant.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : All extinguishing media are suitable.
- Special protective equipment for fire-fighters : Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes.
- Additional advice : Product is not combustible.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : See section 8.
- Environmental precautions : For waste disposal see section 13.
- Methods for cleaning up : Dike the spill if necessary. Soak up with absorbent material. Collect large spills into a properly labelled and sealable container. Prevent release into the drain, soil or surface water.
- Additional advice : Wash away residues with plenty of water.

SECTION 7. HANDLING AND STORAGE

Handling

- Advice on protection against fire and explosion : No special protective measures against fire and explosion required.

Storage

FIXCLEAN

SUBID:00000005850

Version 1
Revision Date 12-05-2005

Print Date 10/07/2006

Advice on common storage : Store away from strong acids.
 Requirements for storage : Keep container tightly closed. Protect from direct sunlight.
 areas and containers

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Exposure Limit Values (US)**

Components	CAS-No.	Values	Type	Revision Date	Basis
Sodium hydroxide	1310-73-2	2 mg/m ³	CEIL	2002	ACGIH
		2 mg/m ³	PEL	06 1993	OSHA Z1
		2 mg/m ³	CEIL	1989	OSHA Z1A

Exposure controls

Hygiene measures : Keep away from foodstuffs, drinks and tobacco.
 Hand protection : Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness \geq 0.36 mm, breakthrough time $>$ 480 min), nitrile rubber (thickness \geq 0.38 mm, breakthrough time $>$ 480 min) or neoprene (thickness \geq 0.65 mm, breakthrough time $>$ 240 min). For intermittent splash protection corresponding gloves with breakthrough times $>$ 60 min can be used. Avoid gloves made of: natural latex.
 Eye protection : Safety goggles.
 Personal protective equipment : Employees should wash their hands and face before eating, drinking, or using tobacco products.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Liquid
 Colour : Colourless
 Odour : Odourless
 Vapour pressure : 23.00 hPa at 20 °C (68 °F)
 Relative density : 1.327 at 20 °C (68 °F)
 pH (25 °C, 77 °F) : $>$ 13.0
 Melting point/range : $<$ 0 °C ($<$ 32 °F)
 Boiling point/range : $>$ 100 °C ($>$ 212 °F)
 Relative vapour density : Not applicable
 VOC content : 0.0 %
 VOC content excluding water

SECTION 10. STABILITY AND REACTIVITY

Stability : The product is stable under normal conditions of storage and use.
 Hazardous decomposition products : Hazardous decomposition products
 None
 Thermal decomposition : Not applicable
 Conditions to avoid : Avoid contact with strong acids. Remove all chemicals and rinse the processing tanks thoroughly with water before using any cleansing products.

FIXCLEAN

SUBID:00000005850

Version 1
Revision Date 12-05-2005

Print Date 10/07/2006

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicity data specific for individual ingredients in their pure state:

Acute oral toxicity

- Sodium hydroxide : LD₅₀ rabbit 500 mg/kg

Other information

Hazard labelling of this preparation: see section 15.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects****Toxicity to fish**

- Sodium hydroxide : Species: Leuciscus idus (golden orfe)
LC₅₀: > 133 mg/l/ 48 h

Toxicity to daphnia

- Sodium hydroxide : Species: Daphnia magna (water flea)
EC₅₀: > 100 mg/l/ 48 h

SECTION 13. DISPOSAL CONSIDERATIONS**Waste disposal methods**

Environmental regulations, discharge of chemicals and washwater, waste treatment and disposal conditions of chemicals and their packaging may vary from one country to another. The relevant local regulations should be consulted. When this product or its contaminated packaging has to be removed as waste, contact an authorized waste contractor. May be discharged to drain if local regulations permit.

US. RCRA Hazardous Waste Classification (40 CFR 261)

When discarded in its purchased form, this product meets the criteria of corrosivity, and should be managed as a hazardous waste (EPA Hazardous Waste Number D002).

SECTION 14. TRANSPORT INFORMATION**CFR_ROAD**

UN-No : 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labelling No. : 8

CFR_RAIL

UN-No : 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labelling No. : 8

FIXCLEAN

SUBID:00000005850

Version 1
Revision Date 12-05-2005

Print Date 10/07/2006

CFR_INWTR

UN-No : 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labelling No. : 8

TDG_ROAD

UN-No : 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labelling No. : 8

TDG_RAIL

UN-No : 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labelling No. : 8

TDG_INWTR

UN-No : 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labelling No. : 8

IMO / IMDG

UN-No : 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labelling No. : 8
EmS : F-A, S-B

ICAO / IATA cargo aircraft only

UN-No : 1824
Proper shipping name : Sodium hydroxide solution
Class : 8
Packing group : II
Labelling No. : 8
Packing instruction : 813

ICAO / IATA passenger and cargo aircraft

UN-No : 1824
Proper shipping name : Sodium hydroxide solution
Class : 8
Packing group : II
Labelling No. : 8
Packing instruction : 809

SECTION 15. REGULATORY INFORMATION**US. Toxic Substances Control Act (TSCA)**

FIXCLEAN

SUBID:00000005850

Version 1
Revision Date 12-05-2005

Print Date 10/07/2006

All of the components of this product are listed on the TSCA Inventory.

US. OSHA Classification

This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

US. SARA 311/312 Hazard Categories

Immediate Health Hazard.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

- Sodium hydroxide : Reportable quantity: 1,000 lbs

US. California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other harm.

State Right-to-Know Information

The following chemicals are specifically listed by individual states. Other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

US. Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

- | | <u>CAS-No.</u> | <u>Concentration [%]</u> |
|--------------------|----------------|--------------------------|
| • Sodium hydroxide | 1310-73-2 | >= 20.0 - <= 30.0 |

US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

- | | <u>CAS-No.</u> | <u>Concentration [%]</u> |
|--------------------|----------------|--------------------------|
| • Sodium hydroxide | 1310-73-2 | >= 20.0 - <= 30.0 |

US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

- | | <u>CAS-No.</u> | <u>Concentration [%]</u> |
|--------------------|----------------|--------------------------|
| • Sodium hydroxide | 1310-73-2 | >= 20.0 - <= 30.0 |

US. Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)

- | | <u>CAS-No.</u> | <u>Concentration [%]</u> |
|--------------------|----------------|--------------------------|
| • Sodium hydroxide | 1310-73-2 | >= 20.0 - <= 30.0 |

US. Massachusetts, New Jersey, Pennsylvania or Rhode Island Right to Know Substance Lists : See Section 2.

Canadian WHMIS Classification

E : Corrosive Material

Canadian Environmental Protection Act (CEPA)

All components of this product are on the Canadian DSL list.

SECTION 16. OTHER INFORMATION**US. HMIS Rating**

FIXCLEAN

SUBID:00000005850

Version 1
Revision Date 12-05-2005

Print Date 10/07/2006

Health	:	3
Flammability	:	0
Reactivity	:	1

(0 = Minimal, 1 = Slight, 2 = Moderate, 3 = Serious, 4 = Severe)

US. NFPA 704M Rating

Health	:	3
Flammability	:	0
Reactivity	:	0

(0 = Insignificant, 1 = Slight, 2 = Moderate, 3 = High, 4 = Extreme)

Agfa Corporation's method of hazard communication is comprised of Product Labels and Material Safety Data Sheets. HMIS and NFPA ratings are provided by Agfa Corporation as a customer service.

This MSDS is replacing Agfa MSDS number 427G.002

This information is furnished without warranty, expressed or implied, and is believed to be accurate to the best knowledge of Agfa Corporation. The data on this MSDS relates only to the specific material designated herein. Agfa Corporation assumes no legal responsibility for use or reliance upon these data.