



MG-410

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 12/27/2016 Revision date: 12/27/2016 Version: 1.0

### **SECTION 1: IDENTIFICATION**

#### 1.1. IDENTIFICATION

Product form : Mixtures
Product name : MG-410

## 1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Recommended use : Non-Destructive Testing.

### 1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer Distributor

Magnaflux 155 Harlem Ave. Glenview, IL 60025 - USA

T 847-657-5300

#### 1.4. EMERGENCY TELEPHONE NUMBER

Emergency number : CHEMTREC 800-424-9300

## **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

The following classification applies to quantities less than 450 L. Additional hazard classes apply to unit volumes greater than 450 L.

#### **GHS** classification

Comb. Dust\*

\*This classification is based on the product as sold (in powder form). This classification is not applicable after the product is mixed with a liquid,

#### 2.2. LABEL ELEMENTS

### **GHS** labelling

Signal word (GHS) : Warning

Hazard statements (GHS) : May form combustible dust concentrations in air

# 2.3. OTHER HAZARDS

No additional information available

# 2.4. UNKNOWN ACUTE TOXICITY

Not applicable

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1. SUBSTANCE

Not applicable

### 3.2. MIXTURES

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012/WHMIS 2015

### **SECTION 4: FIRST AID MEASURES**

### 4.1. DESCRIPTION OF FIRST AID MEASURES

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

## 4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

12/27/2016 EN (English) Page 1





#### 4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. EXTINGUISHING MEDIA

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

#### 5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Fire hazard : Combustible dust. Products of combustion may include, and are not limited to: oxides of carbon.

Explosion hazard : Avoid generating dust. Airborne dust in sufficient concentrations when confined and exposed to

a sufficient ignition source can explode.

Reactivity : No dangerous reactions known under normal conditions of use.

5.3. ADVICE FOR FIREFIGHTERS

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General measures

: Remove all sources of ignition. Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (ie, clearing dust surfaces with compressed air). Use only non-sparking tools.

#### 6.1.1. FOR NON-EMERGENCY PERSONNEL

No additional information available

### 6.1.2. FOR EMERGENCY RESPONDERS

No additional information available

# 6.2. ENVIRONMENTAL PRECAUTIONS

Prevent entry to sewers and public waters.

## 6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

For containment : Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer

or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

### 6.4. REFERENCE TO OTHER SECTIONS

For further information refer to section 8: "Exposure controls/personal protection"

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. PRECAUTIONS FOR SAFE HANDLING

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Avoid generating and breathing dust. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Use only in well ventilated areas. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. After product is mixed with a liquid, combustible dust hazard no longer applies.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

### 7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage conditions

: Keep out of the reach of children. Keep container tightly closed. Store in dust-tight, dry, labelled containers. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Keep away from sources of ignition. Keep in a cool, well-ventilated place away from oxidizing agents.

12/27/2016 EN (English) 2/5



#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. CONTROL PARAMETERS

Particulates not otherwise regulated (PNOR) and Particulates not otherwise classified (PNOC)					
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³ (inhalable particles) 3 mg/m³ (respirable particles)			
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)			

#### 8.2. EXPOSURE CONTROLS

Appropriate engineering controls

: Ensure good ventilation of the work station. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e, there is not leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Hand protection : Wear suitable gloves.

Eye protection : Safety glasses or goggles are recommended when using product.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Avoid release to the environment.

Other information : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or

smoke when using this product.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Solid
Appearance : Powder
Colour : Green

: No data available Odour Odour threshold : No data available рΗ : No data available : No data available Melting point Freezing point No data available Boiling point : No data available Flash point : No data available : No data available Relative evaporation rate (butylacetate=1) Flammability (solid, gas) : Combustible Dust Vapour pressure No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water : No data available No data available Auto-ignition temperature Decomposition temperature : No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic Explosive limits : No data available No data available Explosive properties

### 9.2. OTHER INFORMATION

Oxidising properties

No additional information available

12/27/2016 EN (English) 3/5

: No data available



## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. REACTIVITY

No dangerous reactions known under normal conditions of use.

#### 10.2. CHEMICAL STABILITY

Stable under normal conditions. May form combustible dust concentrations in air.

#### 10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reactions known under normal conditions of use.

### 10.4. CONDITIONS TO AVOID

Heat. Incompatible materials. Sources of ignition. Avoid dust formation.

### 10.5. INCOMPATIBLE MATERIALS

Strong oxidizers.

### 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

MG-410	
LD50 oral rat	> 2000 mg/kg (Calculated acute toxicity estimate)
LD50 dermal rabbit	No data available
LC50 inhalation rat	No data available

Skin corrosion/irritation	:	Not classified.
Serious eye damage/irritation	:	Not classified.
Respiratory or skin sensitization	:	Not classified.
Germ cell mutagenicity	:	Not classified.
Carcinogenicity	:	Not classified.
Reproductive toxicity	:	Not classified.
STOT-single exposure	:	Not classified.
STOT-repeated exposure	:	Not classified.
Aspiration hazard	:	Not classified.

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. TOXICITY

Ecology - general : May cause long-term adverse effects in the aquatic environment.

### 12.2. PERSISTENCE AND DEGRADABILITY

MG-410	
Persistence and degradability	Not established.

# 12.3. BIOACCUMULATIVE POTENTIAL

MG-410	
Bioaccumulative potential	Not established.

12/27/2016 EN (English) 4/5





#### 12.4. MOBILITY IN SOIL

No additional information available

#### 12.5. OTHER ADVERSE EFFECTS

Effect on the global warming : No known effects from this product.

Other information : No other effects known.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

## 13.1. WASTE TREATMENT METHODS

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

In accordance with DOT/TDG/IATA/IMDG

DOT (bulk)

Contract (b


### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. FEDERAL REGULATIONS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

NFPA health hazard : 1
NFPA fire hazard : 3
NFPA reactivity : 1



### 15.2. INTERNATIONAL REGULATIONS

No additional information available

## 15.3. US STATE REGULATIONS

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: OTHER INFORMATION**

Revision date : 12/27/2016

Other information : Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the

Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com

**◯** N E X R E G

SDS HazCom 2012 - WHMIS 2015 Nexreg Magnaflux

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

12/27/2016 EN (English) 5/5